

A solid green vertical bar is positioned to the left of the main title.

Quick Start Guide

Wireless 4K Audio Video Kit

GW4K30KIT

PART NO. Q1544

- 1 x HDMI Extender Transmitter
- 1 x HDMI Extender Receiver
- 1 x IR Blaster Cable
- 1 x IR Receiver Cable
- 2 x 5 VDC/2A Switching Power Supply
- 1 x Quick Start Guide
- 1 x Warranty Card

System Requirements


- 1 HDMI source device (Bluray, Satellite box, PC etc.)
- 1 HDMI display device (HDTV, projector with HDMI port, etc.)

Overview


Transmitter

- 1. Reset Button
- 2. Power input
- 3. HDMI input
- 4. HDMI local output
- 5. IR Blaster cable connector
- 6. Antenna connector
- 7. HDMI signal indicator
- 8. Wireless signal indicator

Front




Back




Receiver

- 1. Reset Button
- 2. Power input
- 3. HDMI output connector
- 4. IR receiver extension cable connector
- 5. Antenna connector
- 6. Wireless connection indicator
- 7. Data transmission indicator

Front



Back




STEP 1

Install the antenna to the transmitter (6)


STEP 2

Connect the IR blaster cable to the connector (5)



STEP 3

Connect one side of the HDMI cable to the transmitter HDMI input port and the other side to your video source



Step 3a


(Optional) Connect another HDMI cable from the transmitter HDMI output port to your local display/projector HDMI input

STEP 4


Install the antenna to the receiver (5)

STEP 5


Connect the IR blaster cable to the connector (4)

**STEP 6**


Connect one side of the HDMI cable to the receiver and the other side to your display (3)

**STEP 7**

Connect 5VDC/2A power supply to the Transmitter power input port (2), the HDMI signal indicator will light up when connection to the source is established

**STEP 8**

Connect 5VDC/2A power supply to the Receiver power input port (2)



STEP 9

Wireless connection indicator of the transmitter and receiver will light up when the transmitter and receiver connection is established wirelessly. If your video source and your display is on, you should be able to see the content of the source on your display.

STEP 10

(Optional) For two TV setup, connect the “local” TV (within a few feet of the transmitter HDMI cable) to the transmitter’s “HDMI Out” port for a loop-through connection.

NOTE: Distances may vary depending on environment. Solid and non-porous materials such as steel, concrete, brick and glass (varies depending on coating and thickness) may cause shorter viewing distances or loss of signal.

The resolution for the two TV’s will be the that of the TV with the lower resolution, for example if you connect one 4K and one 1080p TV then the resolution for both TVs will be 1080p.

FAQ**Q Transmitter and receiver will not connect wirelessly**

- A**
1. Please check if the wireless connection light is on and blinking
 2. Restart both transmitter and receiver
 3. Reconnect HDMI cables

Q The wireless indicator is on but nothing on the display

- A** Please check and see if the video source is working correctly by connecting the HDMI cable directly to the display and see if the operation is now normal

Q Video is flickering or not stable

- A**
1. Change the position of the transmitter and receiver and make sure that they are within the specified operating distance
 2. Restart the transmitter and receiver
 3. Reconnect the HDMI cables
 4. Check for any obstacles that may block the wireless signal from the transmitter to the receiver

Compliance Information

FCC Statement

This product has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This product generates, uses, and can radiate radio frequency energy. If this product is not installed and used as directed it may cause harmful interference to radio communications. Operating this product in a residential area will likely cause harmful interference which will require correction by the user at his/her personal expense.

CE Compliance

This device has been tested and found to comply with the following European Union directives: Electromagnetic Capability (2004/108/EC), Low Voltage (2006/95/EC) and R&TTED (1999/5/EC).

Limited Warranty

Warranty Information

This product carries a 1 Year Limited Warranty. For the terms and conditions of this warranty, please go to <http://www.iogear.com/support/warranty>

Register online at <http://www.iogear.com/register>

Important Product Information

Product Model _____

Serial Number _____

Contact

WE'RE HERE TO HELP YOU! NEED ASSISTANCE SETTING UP THIS PRODUCT?

Make sure you:

1. Visit www.iogear.com for more product information
2. Visit www.iogear.com/support for live help and product support

IOGEAR

iogear.custhelp.com

support@iogear.com

www.iogear.com